



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Rats identified:	
Mus norvegicus.....	566
Mus rattus.....	1
Mus musculus.....	39
Mus alexandrinus.....	1
Total.....	607
Rats examined bacteriologically.....	
Plague rats.....	0

POINT RICHMOND, CAL.

Week ended October 16, 1909.

Sick inspected.....	1
Plague.....	0
Dead inspected.....	4
Plague.....	0

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*San Diego*.—Month of September, 1909. Estimated population, 45,000. Total number of deaths 48, including tuberculosis 10.

FLORIDA—*Pensacola*.—Month of September. Estimated population, 30,000. Total number of deaths 56, including enteric fever 2, and 11 from tuberculosis.

GEORGIA—*Macon*.—Month of September, 1909. Population, 43,000. Total number of deaths 12, including 1 from tuberculosis.

ILLINOIS—*Alton*.—Month of September, 1909. Estimated population, 22,000. Total number of deaths 18, including 3 from tuberculosis. Cases: Diphtheria 1.

IOWA—*Keokuk*.—Month of September, 1909. Population, 16,000. Total number of deaths 21, including enteric fever 2, tuberculosis 2.

Sioux City.—Month of September, 1909. Estimated population, 50,000. One death from diphtheria. Cases: Scarlet fever 1, diphtheria 16.

KENTUCKY—*Louisville*.—Month of September, 1909. Estimated population, 269,749. Total number of deaths 263, corresponding to a death rate of .98 per 1,000 of population, including enteric fever 10, scarlet fever 11, diphtheria 6, and from tuberculosis 21.

MINNESOTA—*Stillwater*.—Month of September, 1909. Total number of deaths 7, including 1 from tuberculosis. Cases: Enteric fever 2, diphtheria 1, tuberculosis 2.

MISSOURI—*Kansas City*.—Month of September, 1909. Estimated population, 340,000. Total number of deaths 247, including diphtheria 6, scarlet fever 1, enteric fever 4, and from tuberculosis 30.

Springfield.—Month of September, 1909. Population, 35,000. Total number of deaths 38, including tuberculosis 1, and from enteric fever 4.

NEW HAMPSHIRE—*Concord*.—Month of August, 1909. Estimated population 20,000. Total number of deaths 30, corresponding to an annual death rate of 15.6, including enteric fever 2, scarlet fever 1, diphtheria 4, measles 2, and 4 from tuberculosis.

Concord.—Month of September, 1909. Total number of deaths 50, corresponding to an annual death rate of 21.6 per 1,000 of population, including enteric fever 3, scarlet fever 1, diphtheria 13, measles 1, and 5 from tuberculosis.

Franklin.—Month of September, 1909. Estimated population 7,200. Total number of deaths 4, including 1 from tuberculosis. Cases: Enteric fever 2, diphtheria 1, tuberculosis 1.

Manchester.—Month of September, 1909. Total deaths, 113, including scarlet fever 2, measles 11, diphtheria 20, enteric fever 1, and from tuberculosis 8.

NEW YORK—*Buffalo.*—Month of September, 1909. Total number of deaths 506, including tuberculosis 37, diphtheria 4, scarlet fever 14, enteric fever 13, and from whooping cough 3.

Rome.—Month of September, 1909. Two deaths from tuberculosis. Cases: Enteric fever 5, diphtheria 7, measles 1, tuberculosis 2.

Saratoga.—Month of September, 1909. Estimated population 11,822. Total number of deaths 19. Cases: Enteric fever 1, diphtheria 1.

Troy.—Month of September, 1909. Total number of deaths 117, including enteric fever 2, whooping cough 1, tuberculosis 18.

NORTH CAROLINA.—Month of August, 1909. Population 233,150. Total number of deaths 278, corresponding to an annual death rate of 14.2 per 1,000 of population, including enteric fever 18, scarlet fever 1, diphtheria 1, tuberculosis 47.

Charlotte.—Month of September, 1909. Total number of deaths 38, including enteric fever 2, diphtheria 1, pellagra 2, and 3 from tuberculosis.

OHIO—*Toledo.*—Month of September, 1909. Total number of deaths 159, corresponding to an annual death rate of 9.74 per 1,000 of population, including enteric fever 5, measles 1, scarlet fever 3, whooping cough 1, diphtheria 3, and from tuberculosis 19.

OREGON.—Month of July, 1909. Total number of deaths 385, including enteric fever 7, diphtheria 3, scarlet fever 3, measles 3. Cases: Diphtheria 1, scarlet fever 1.

WASHINGTON—*Spokane.*—Month of September, 1909. Population 100,000. Total number of deaths 120, corresponding to an annual death rate of 14.40 per 1,000 of population, including diphtheria 1, enteric fever 8, and 9 from tuberculosis.

VIRGINIA—*Lynchburg.*—Month of September, 1909. Estimated population 30,050. Total number of deaths 18, including 3 from tuberculosis.

Richmond.—Month of September, 1909. Population 85,050. Total number of deaths 155, corresponding to an annual death rate of 16.30 per 1,000 of population, including diphtheria 1, and 21 from tuberculosis.